All Cabinets Ship...

Qwik Ship

...Many in 48 hrs.

Jamco cabinets

Flyer CAB07B

Heavy Duty All Welded CABINETS

40 Models

Safety

14 ga. Welded

Plastic Bin

Security

Fire Resistant

Gas Cylinder

Powder Coated Finish

Safety Cabinets are

FM APPROVED

Made in USA

Distributed By:

Our Quality Serves You Longer

JAMCO Qwik Ship ADVANTAGE

Jamco's all welded cabinets construction is heavy duty...for durability...and will outlast and out perform bolt-together and lighter gauge cabinets many times over.

JAMCO offers you the **BEST QUALITY AND SERVICE** IN THE INDUSTRY:

SAFETY CABINETS

- **14 gauge doors (outer wall)**...56% more steel than the 18 gauge of others
- **Full louvered 16 gauge panel on inside ends for added durability**...vs. strips
- **Standard Flush handle**...vs. level handle
- **Extra strength with Mig welds**...vs. spot welding
- **Meet OSHA, NFPA code 30 & UFC 79 standard**
- **All JAMCO Safety Cabinets are:**

FM APPROVED

14 GAUGE WELDED CABINETS

- **Heavy Duty**...1000 lbs. per shelf capacity
- **Extra Heavy Duty**...1800 lbs. per shelf capacity
- **Plastic Bin**...full shelf rails and louvered panels to adjust to your needs

SECURITY

- **12 gauge shelves**

FIRE RESISTANT

- **Double walled**
- **14 gauge outer doors**

GAS CYLINDER

- **13 gauge flattened mesh in 3/16" thick angle frames**
  ...50% more than the 1/8" of others

OTHER INFO

All cabinets are **Powder Coated**
Many cabinets **ship in 2 days**, the rest 5 days
All cabinets are **made in the USA** by us
Ship point: Zip 61080 (IL) / Limited Stock: Zip 91780 (CA)

Two Illinois Manufacturing Plants

INDEX OF CABINETS

Categories by Pages

SAFETY 3-9
14 GA. WELDED.....10-11
PLASIC BIN 12-13
SECURITY 14
FIRE RESISTANT 15
GAS CYLINDER 16

Alpha Index of Models

BA.....5
BF 3
BH 8
BJ 5
BK.....6
BM....3
BN 8
BO 7
BP.....8
BR ..15
BS.....3
BT 6
BV.....7
BW....7
BX...15
CH ..16
CJ 9
CK.....9
CL.....9
CV...16
CW..16
CX...16
DH ..13
DJ ...10
DK ..13
DL...10
DM..11
DN ..12
DP ..12
DS ..11
FF.....4
FJ.....9
FK 9
FL 9
FM 4
FS 4
ME ..14
MF ..14
MG..14
MH..14

Safety Flammable Cabinets (Cans) - 3 Door Types

Models BM, BS & BF - manual, bi fold & self close doors with double wall cabinets to contain flammable liquids in protected storage

Model BM90 Shown

Product Features:

- **All welded double wall 18 gauge construction with 1-1/2" insulating air space.**
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- Adjustable leveling feet and grounding connector.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.

FM APPROVED

Three Door Types:

Model BM - 2 Doors

- Manual close doors (open to full 180°).

Model BS - 2 Doors

- Self close doors (shut, index, and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Model BF - 1 Bi-Fold Door

- Bi fold doors (shut and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Concealed Self-Close Mechanism

Model BS60 Shown

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Green for Pesticides - **Code FP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Extra galvanized shelves - **Code GS**

Model BF45 Shown

Model BM - Manual Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
22	BM22	34 x 18 x 35	1	170
28	BM28	34 x 18 x 44	2	220
30	BM30	43 x 18 x 44	1	240
44	BM44	34 x 18 x 65	3	290
45	BM45	43 x 18 x 65	2	358
60	BM60	34 x 34 x 65	2	430
90	BM90	43 x 34 x 65	2	470
120	BM120	59 x 34 x 65	2	540

Model BS - Self Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
22	BS22	34 x 18 x 35	1	190
28	BS28	34 x 18 x 44	2	240
30	BS30	43 x 18 x 44	1	260
44	BS44	34 x 18 x 65	3	310
45	BS45	43 x 18 x 65	2	378
60	BS60	34 x 34 x 65	2	450
90	BS90	43 x 34 x 65	2	490

Model BF - Bi-Fold

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
30	BF30	43 x 18 x 44	1	250
45	BF45	43 x 18 x 65	2	368
60	BF60	34 x 34 x 65	2	440
90	BF90	43 x 34 x 65	2	480

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Tower Safety Flammable Cabinets (Cans) - 3 Door Types

Models FM, FS & FF - manual, bi fold & self close doors with double wall cabinets to contain flammable liquids in protected storage with floor clearance

Model FM45 Shown

Concealed Self-Close Mechanism

Model FS45 Shown

Model FF45 Shown

Product Features:

- **All welded double wall 18 gauge construction with 1-1/2" insulating air space.**
- **4" high legs have bolt holes to secure to floor.**
- Legs allow moving unit with fork lift truck.
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.

FM APPROVED

Three Door Types:

Model FM - 2 Doors

- Manual close doors (open to full 180°).

Model FS - 2 Doors

- Self close doors (shut, index, and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Model FF - 1 Bi-Fold Door

- Bi fold doors (shut and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Green for Pesticides - **Code FP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Extra galvanized shelves - **Code GS**

Model FM - Manual Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
28	FM28	34 x 18 x 48	2	230
30	FM30	43 x 18 x 48	1	250
44	FM44	34 x 18 x 69	3	300
45	FM45	43 x 18 x 69	2	368
60	FM60	34 x 34 x 69	2	440
90	FM90	43 x 34 x 69	2	480
120	FM120	59 x 34 x 69	2	550

Model FS - Self Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
28	FS28	34 x 18 x 48	2	250
30	FS30	43 x 18 x 48	1	270
44	FS44	34 x 18 x 69	3	320
45	FS45	43 x 18 x 69	2	388
60	FS60	34 x 34 x 69	2	460
90	FS90	43 x 34 x 69	2	500

Model FF - Bi-Fold

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
30	FF30	43 x 18 x 48	1	260
45	FF45	43 x 18 x 69	2	378
60	FF60	34 x 34 x 69	2	450
90	FF90	43 x 34 x 69	2	490

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Flammable Cabinets - 1 Door Manual

Models BA - 1 door manual, double wall cabinet to contain flammable liquids in protected storage in single & double depth

Model BA Shown

Product Features:

- **All welded double wall 18 gauge construction with 1-1/2" insulating air space.**
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Door has 3 point locking system and radius edges.
- **Door is double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Galvanized steel shelves, adjust on 2-1/2" centers.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.
- **Manual close door** (opens to full 180°).
- **Slim line width** - 23" • Single Depth - 18" • Double Depth - 34"

FM APPROVED

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Green for Pesticides - **Code FP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Extra galvanized shelves - **Code GS**

Model BA - Manual Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
12	BA12	23 x 18 x 35	1	140
18	BA18	23 x 18 x 44	2	170
24	BA24	23 x 18 x 65	3	234
30	BA30	23 x 34 x 35	1	220
40	BA40	23 x 34 x 44	2	270
60	BA60	23 x 34 x 65	3	360

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Flammable Cabinets - 1 Door Self Close

Models BJ - 1 door self close, double wall cabinet to contain flammable liquids in protected storage in single & double depth

Concealed Self-Close Mechanism

Model BJ Shown

Product Features:

- **All welded double wall 18 gauge construction with 1-1/2" insulating air space.**
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Door has 3 point locking system and radius edges.
- **Door is double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Galvanized steel shelves, adjust on 2-1/2" centers.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.
- **Self close door** (shuts and latches automatically as fusible link melts under fire conditions at 165°). • Concealed self closing mechanism.
- **Slim line width** - 23" • Single Depth - 18" • Double Depth - 34"

FM APPROVED

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Green for Pesticides - **Code FP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Extra galvanized shelves - **Code GS**

Model BJ - Self Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
12	BJ12	23 x 18 x 35	1	148
18	BJ18	23 x 18 x 44	2	178
24	BJ24	23 x 18 x 65	3	242
30	BJ30	23 x 34 x 35	1	228
40	BJ40	23 x 34 x 44	2	278
60	BJ60	23 x 34 x 65	3	368

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Manual Safety Flammable Cabinets - Under Counter - 35” High

Models BT - manual door(s) with double wall cabinets to store flammable liquids under counter

Model BT22 Shown

Product Features:

- **All welded double wall 18 gauge construction with 1-1/2" insulating air space.**
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Door(s) have 3 point locking system and radius edges.
- **Door(s) are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- Galvanized steel shelves, adjust on 2-1/2" centers.
- Adjustable leveling feet.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, and NFPA code 30
- **Manual close door(s)** (open to full 180°).

FM APPROVED

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Green for Pesticides - **Code FP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Extra galvanized shelves - **Code GS**

Model BT - Manual Close - 35" High

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)
12	BT12	23 x 18 x 35	1	1	140
22	BT22	34 x 18 x 35	1	2	170
30	BT30	23 x 34 x 35	1	1	220

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Self Close Safety Flammable Cabinets - Under Counter - 35” High

Models BK - self close door(s) with double wall cabinets to store flammable liquids under counter

Concealed Self-Close Mechanism

Model BK22 Shown

Product Features:

- **All welded double wall 18 gauge construction with 1-1/2" insulating air space.**
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Door(s) have 3 point locking system and radius edges.
- **Door(s) are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- Galvanized steel shelves, adjust on 2-1/2" centers.
- Adjustable leveling feet.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, and NFPA code 30
- **Self close door** (shuts and latches automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

FM APPROVED

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Green for Pesticides - **Code FP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Extra galvanized shelves - **Code GS**

Model BK - Self Close - 35" High

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)
12	BK12	23 x 18 x 35	1	1	150
22	BK22	34 x 18 x 35	1	2	180
30	BK30	23 x 34 x 35	1	1	230

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Flammable Cabinets - 55 Gallon Drum(s)

Models BV, BW, BO - 2 door manual and self close, double wall cabinet to contain flammable 30 to 55 gallon drum(s) in protected storage

Model BV Shown

Product Features:

- **All welded double wall 18 gauge construction with 1-1/2" insulating air space.**
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- Galvanized steel 1/2 depth shelf adjusts on 2-1/2" centers.
- Adjustable leveling feet.
- **Powder coated yellow finish** (see options).
- Safety signage in large red letters.
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.

FM APPROVED

Two Door Types:

Model BV, BO - 2 Doors

- **Manual close doors** (open to full 180°).

Model BW - 2 Doors

- **Self close doors** (shut, index, and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.



Concealed Self-Close Mechanism

Model BV Shown
with optional drum roller

Options:

- Red for paints and ink - **Code RP**
- Blue for corrosive liquids - **Code BP**
- Green for Pesticides - **Code FP**
- Putty for laboratory setting - **Code AP**
- Gray for hazardous materials - **Code GP**
- Drum roller for BV1, BO120 & BW1 - **Code DA**
- Drum roller for BV2 - **Code DB**
- Drum ramp (24" x 28") - **Code DR**
- 4" Tower feet - **Code TF**

Model BV - Manual Close

No. Drums	Catalog No.	Size (in) W x D x H	Wgt. (lbs)
1	BV1	34 x 34 x 65	366
2	BV2	59 x 34 x 65	544

Model BW - Self Close

No. Drums	Catalog No.	Size (in) W x D x H	Wgt. (lbs)
1	BW1	34 x 34 x 65	386

Model BO - Manual Close - Combo Unit*

No. Drums	No. 5 Gallon Cans	Catalog No.	Size (in) W x D x H	Wgt. (lbs)
1	12	BO120	59 x 34 x 65	610

***Combo unit** - 2 compartments:
Right Side - 1 vertical 55 drum
Left Side - 3 shelves for 12- 5 Gallon Safety Cans
See options for drum roller or drum ramp

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Flammable Cabinets (paint & ink cans) - 3 Door Types

Models BP, BN & BH - manual, self close & bi fold doors with double wall cabinets to contain paint & ink cans in protected storage

Model BP48 Shown

Concealed Self-Close Mechanism



Model BP48 Shown

Product Features:

- **All welded double wall 18 gauge construction with 1-1/2" insulating air space.**
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated red finish**.
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.

FM APPROVED

Three Door Types:

Model BP - 1 or 2 Doors

- **Manual close doors** (open to full 180°).

Model BN - 1 or 2 Doors

- **Self close doors** (shut, index (2 door model only), and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Model BH - 1 Bi-Fold Door

- **Bi-fold doors** (shut and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Options:

- Extra galvanized shelves - **Code GS**
- 4" tower feet (48 gallon and above units) **- Code TF**

Model BP - Manual Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)
18	BP18	23 x 18 x 35	2	1	150
24	BP24	23 x 18 x 44	3	1	180
36	BP36	23 x 18 x 65	5	1	240
48	BP48	43 x 18 x 44	3	2	268
72	BP72	43 x 18 x 65	5	2	400
96	BP96	34 x 34 x 65	5	2	472
120	BP120	43 x 34 x 65	5	2	500

Model BN - Self Close

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)
18	BN18	23 x 18 x 35	2	1	160
24	BN24	23 x 18 x 44	3	1	190
36	BN36	23 x 18 x 65	5	1	250
48	BN48	43 x 18 x 44	3	2	288
72	BN72	43 x 18 x 65	5	2	420
96	BN96	34 x 34 x 65	5	2	492
120	BN120	43 x 34 x 65	5	2	520

Model BH - Bi-Fold

Capacity Gallons	Catalog No.	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)
48	BH48	43 x 18 x 44	3	1	278
72	BH72	43 x 18 x 65	5	1	410
96	BH96	34 x 34 x 65	5	1	482
120	BH120	43 x 34 x 65	5	1	510

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Safety Flammable Cabinets (corrosive & pesticides)

Models CL, FL, CK, FK, CJ, FJ - manual, bi fold & self close doors with double wall cabinets to contain chemicals in protected storage

Corrosive Model CL30 Shown

Concealed Self-Close Mechanism



Pesticides Model FL30 Shown

Product Features:

- **All welded double wall 18 gauge construction with 1-1/2" insulating air space.**
- 2" leakproof sill to contain leaks.
- Lockable flush mounted handle (gripper pad) with 2 keys.
- Doors have 3 point locking system and radius edges.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- 4" heavy duty welded hinges with brass pins.
- Twin 2" flame arrester vents.
- Adjustable leveling feet.
- **Powder coated blue finish**.
- Safety signage in large red letters.
- Galvanized steel shelves adjust on 2-1/2" centers.
- **Polyethylene tray liner for shelves & sill**
- Grounding connector.
- Meets OSHA, and NFPA code 30 & UFC 79 standards.

FM APPROVED

Three Door Types:

Models CL & FL - 1 or 2 Doors

- **Manual close doors** (open to full 180°).

Models CK & FK - 1 or 2 Doors

- **Self close doors** (shut, index (2 door models only), and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Model CJ & FJ - 1 Bi-Fold Door

- **Bi-fold doors** (shut and latch automatically as fusible link melts under fire conditions at 165°).
- Concealed self closing mechanism.

Options:

- Extra galvanized shelves - **Code GS**
- Powder coat galvanized shelf - **Code PC**
- Extra Polyethylene tray liner for shelves & sill - **Code PL** (specify quantity).
- 4" Tower feet (30 gallon and above units) - **Code TF**

Models CL (Corrosive) & FL (Pesticide) - Manual Close

Capacity Gallons	Catalog No.		Size (in) W x D x H	# Shelves	# Tray Liners	# Doors	Wgt. (lbs)
	Corrosive	Pesticide					
12	CL12	FL12	23 x 18 x 35	1	2	1	140
18	CL18	FL18	23 x 18 x 44	2	3	1	170
24	CL24	FL24	23 x 18 x 65	3	4	1	234
30	CL30	FL30	43 x 18 x 44	1	2	2	248
45	CL45	FL45	43 x 18 x 65	2	3	2	370
60	CL60	FL60	34 x 34 x 65	2	3	2	442

Models CK (Corrosive) & FK (Pesticide) - Self Close

Capacity Gallons	Catalog No.		Size (in) W x D x H	# Shelves	# Tray Liners	# Doors	Wgt. (lbs)
	Corrosive	Pesticide					
12	CK12	FK12	23 x 18 x 35	1	2	1	148
18	CK18	FK18	23 x 18 x 44	2	3	1	178
24	CK24	FK24	23 x 18 x 65	3	4	1	242
30	CK30	FK30	43 x 18 x 44	1	2	2	268
45	CK45	FK45	43 x 18 x 65	2	3	2	390
60	CK60	FK60	34 x 34 x 65	2	3	2	462

Models CJ (Corrosive) & FJ (Pesticide) - Bi Fold

Capacity Gallons	Catalog No.		Size (in) W x D x H	# Shelves	# Tray Liners	Wgt. (lbs)
	Corrosive	Pesticide				
30	CJ30	FJ30	43 x 18 x 44	1	2	258
45	CJ45	FJ45	43 x 18 x 65	2	3	380
60	CJ60	FJ60	34 x 34 x 65	2	3	452

Chemical storage maximum - Class I & II - 60 gallons, Class III - 120 gallons

Made in USA

Heavy Duty Welded Cabinets - Solid Doors

Models DL - Durable closed storage cabinet to secure materials and valuables

1,000 LB CAPACITY PER SHELF

Model DL Shown

Options:

- Extra Shelf - **Code RT**

Product Features:

- **All welded 14 gauge construction.**
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°
- Includes four 14 gauge shelves with 1-1/2" lips.
- Shelves adjust on 2-1/2" centers.
- Overall height - 74"
- Powder coated gray finish.

Model DL - Solid Doors

WxL (in)	Cat. No.	Wgt. (lbs)
18 x 36	DL136	312
48	DL148	384
60	DL160	458
24 x 36	DL236	362
48	DL248	442
60	DL260	496

Heavy Duty Welded Cabinets - Clearview Doors

Model DJ - Durable closed storage, with clearview of contents, to secure materials and valuables

1,000 LB CAPACITY PER SHELF

Model DJ Shown

Options:

- Extra Shelf - **Code RT**

Product Features:

- **All welded 14 gauge construction.**
- Clearview door panels are 13 gauge expanded mesh.
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°
- Includes four 14 gauge shelves with 1-1/2" lips.
- Shelves adjust on 2-1/2" centers.
- Overall height - 74"
- Powder coated gray finish.

Model DJ - Clearview Doors

WxL (in)	Cat. No.	Wgt. (lbs)
18 x 36	DJ136	300
48	DJ148	358
60	DJ160	426
24 x 36	DJ236	342
48	DJ248	416
60	DJ260	464

Extra Heavy Duty Welded Cabinets - Solid Doors

Models DS - Durable closed storage cabinet to secure materials and valuables

1,800 LB CAPACITY PER SHELF

Model DS Shown

Options:

- Extra Shelf - **Code ET**

Product Features:

- **All welded 14 gauge construction.**
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°
- Includes four 14 gauge reinforced shelves with 2" lips, corners welded, and return bends for extra strength.
- Shelves adjust on 2-1/2" centers.
- 4" high legs have bolt holes to secure to floor.
- Legs allow moving unit with fork lift truck.
- Overall height - 78"
- Powder coated gray finish.

Model DS - Solid Doors

WxL (in)	Cat. No.	Wgt. (lbs)
18 x 36	DS136	332
48	DS148	404
60	DS160	478
24 x 36	DS236	382
48	DS248	462
60	DS260	516

Extra Heavy Duty Welded Cabinets - Clearview Doors

Models DM - Durable closed storage, with clearview of contents, to secure materials and valuables

1,800 LB CAPACITY PER SHELF

Model DM Shown

Options:

- Extra Shelf - **Code ET**

Product Features:

- **All welded 14 gauge construction.**
- Clearview door panels are 13 gauge expanded mesh.
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°.
- Includes four 14 gauge reinforced shelves with 2" lips, corners welded, and return bends for extra strength.
- Shelves adjust on 2-1/2" centers.
- 4" high legs have bolt holes to secure to floor.
- Legs allow moving unit with fork lift truck.
- Overall height - 78".
- Powder coated gray finish.

Model DM - Clearview Doors

WxL (in)	Cat. No.	Wgt. (lbs)
18 x 36	DM136	320
48	DM148	378
60	DM160	446
24 x 36	DM236	362
48	DM248	436
60	DM260	484

Plastic Bin Welded Cabinet - Solid Flush Doors

Models DP - Durable closed storage cabinets to secure small parts & materials



Model DP Shown

Product Features:

- **All welded 14 gauge construction.**
- Full louvered panels - back wall and inside both doors
- Plastic Bins – Yellow
  - Backwall: Big Bins (16-1/2"w x 18"d x 7"h)
  - Large Bins (8-1/4"w x 11"d x 7"h)
  - Doors: Small Bins (4-1/8"w x 7-1/2"d x 3"h)
- Full shelf rails allow shelves to be adjusted on 2-1/2" centers.
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°
- 4" high legs have bolt holes to secure to floor.
- Legs allow moving unit with fork lift truck.
- Overall height - 78"
- Powder coated gray finish.

Options:

- Shelves - **Code RT**
- Extra Big Bins - **Code RG**
- Extra Large Bins - **Code RB**
- Extra Small Bins - **Code RD**

Model DP - Plastic Bins - Solid Doors

WxL (in)	Cat. No.	No. of Bins			Wgt. (lbs)
		Big	Large	Small	
24 x 36	DP236	18	0	64	440
48	DP248	18	9	96	560
60	DP260	12	30	128	670

Plastic Bin & Shelf Welded Cabinet - Solid Flush Doors

Models DN - Durable closed storage cabinets to secure small parts & materials

Model DN Shown

Product Features:

- **All welded 14 gauge construction.**
- Full louvered panels - back wall and inside both doors
- Plastic Bins – Yellow
  - Backwall: Big Bins (16-1/2"w x 18"d x 7"h)
  - Large Bins (8-1/4"w x 11"d x 7"h)
  - Doors: Small Bins (4-1/8"w x 7-1/2"d x 3"h)
- Full shelf rails allow shelves to be adjusted on 2-1/2" centers.
- **2 adjustable shelves**...14 gauge (1,000 lb capacity per shelf)
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°
- 4" high legs have bolt holes to secure to floor.
- Legs allow moving unit with fork lift truck.
- Overall height - 78"
- Powder coated gray finish.

Options:

- Extra Shelves - **Code RT**
- Extra Big Bins - **Code RG**
- Extra Large Bins - **Code RB**
- Extra Small Bins - **Code RD**

Model DN - Plastic Bins & Shelves - Solid Door

WxL (in)	Cat. No.	No. of Bins			Wgt. (lbs)
		Big	Large	Small	
24 x 36	DN236	8	0	64	460
48	DN248	8	4	96	580
60	DN260	12	0	128	650

Plastic Bin Welded Cabinet - Clearview Flush Doors

Model DK - Durable closed storage cabinets to secure small parts & materials

Model DK Shown

Product Features:

- **All welded 14 gauge construction.**
- 13 gauge mesh panel inserts on doors.
- Full louvered panel - back wall
- Plastic Bins – Yellow
  Backwall: Big Bins (16-1/2"w x 18"d x 7"h)
  Large Bins (8-1/4"w x 11"d x 7"h)
- Full shelf rails allow shelves to be adjusted on 2-1/2" centers.
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°
- 4" high legs have bolt holes to secure to floor.
- Legs allow moving unit with fork lift truck.
- Overall height - 78"
- Powder coated gray finish.

Options:

- Shelves - **Code RT**
- Extra Big Bins - **Code RG**
- Extra Large Bins - **Code RB**

Model DK - Plastic Bins - Clearview Doors

WxL (in)	Cat. No.	No. of Bins		Wgt. (lbs)
		Big	Large	
24 x 36	DK236	18	0	370
48	DK248	18	9	470
60	DK260	12	30	560

Plastic Bin & Shelf Welded Cabinet - Clearview Flush Doors

Model DH - Durable closed storage cabinets to secure small parts & materials

Model DH Shown

Product Features:

- **All welded 14 gauge construction.**
- 13 gauge mesh panel inserts on doors.
- Full louvered panel - back wall
- Plastic Bins – Yellow
  Backwall: Big Bins (16-1/2"w x 18"d x 7"h)
  Large Bins (8-1/4"w x 11"d x 7"h)
- Full shelf rails allow shelves to be adjusted on 2-1/2" centers.
- **2 adjustable shelves**...14 gauge (1,000 lb capacity per shelf)
- Lockable doors, with lever handle, 3 point locking system. Doors open 180°
- 4" high legs have bolt holes to secure to floor.
- Legs allow moving unit with fork lift truck.
- Overall height - 78"
- Powder coated gray finish.

Options:

- Extra Shelves - **Code RT**
- Extra Big Bins - **Code RG**
- Extra Large Bins - **Code RB**

Model DH - Plastic Bins & Shelves - Clearview Doors

WxL (in)	Cat. No.	No. of Bins		Wgt. (lbs)
		Big	Large	
24 x 36	DH236	8	0	380
48	DH248	8	4	480
60	DH260	12	0	540

Heavy Duty Mesh & Solid Security Cabinets

Models MH & MF - Closed storage cabinet to secure materials or valuables

3,000 LB CAPACITY

Product Features:
- All welded construction (except casters).
- **Adjustable middle shelf** is standard - adjustable on 3-1/2" centers - see options for additional shelves.
- Durable **12 gauge steel shelves,** and 3/16" thick angle corners.
- Shelf lips down (flush) - see options.
- **Powder coated gray finish** (see options).
- Overall height - 54".

Other Specifications:
Model MH:
- **14 gauge solid sides 4' high with solid 14 gauge top.**
- 2 solid doors on one side with lockable hasp (padlock not included).

Model MF:
- **Sides and back flattened 13 gauge expanded mesh 4' high (also top cover).**
- 2 flattened 13 gauge expanded mesh doors on one side with lockable hasp (padlock not included).

Options:
- All sides 5' high - **Code SF**
- Shelf lips up - **Code GA**
- Fork lift pockets - 3" x 6" (specify center line) - **Code FP**
- Extra shelves - **Code AT**

Model MH - Solid

WxL (in)	1 Adj. Shelf	
	Cat. No.	Wgt.
24 x 48	MH248	446
60	MH260	516
30 x 48	MH348	504
60	MH360	574
36 x 48	MH448	560
60	MH460	636
72	MH472	704

Model MF - Mesh

WxL (in)	1 Adj. Shelf	
	Cat. No.	Wgt.
24 x 48	MF248	296
60	MF260	338
30 x 48	MF348	332
60	MF360	382
36 x 48	MF448	368
60	MF460	424
72	MF472	472

Narrow Security Cabinets (3 Shelves)

Models MG & ME - Heavy duty lockable cabinet to secure small valuables

2,000 LB CAPACITY

Product Features:
- All welded construction.
- 3 durable **12 gauge steel shelves,** 3/16" thick angle corners, and 12 gauge feet.
- Shelf lips down (flush) - see options.
- **Powder coated gray finish** (see options).
- Clearance between shelves - 15".
- Overall height - 54".

Other Specifications:
Model MG:
- **4 sides and top are 14 gauge solid panels.**
- 14 gauge solid door on one side with lockable hasp (padlock not included).

Model ME:
- **Sides flattened 13 gauge expanded mesh 4' high (also top cover), with 14 gauge solid back panel.**
- 1 flattened 13 gauge expanded mesh door on one side with lockable hasp (padlock not included).

Options:
- Shelf lips up - **Code GA**
- All sides 5' high - **Code SF**

Model MG - Solid

WxL (in)	Cat. No.	Wgt. (lbs)
24 x 24	MG224	240

Model ME - Mesh

WxL (in)	Cat. No.	Wgt. (lbs)
24 x 24	ME224	180

Note: Doors add 2" to width

Fire Resistant Double Walled (Manual Close Doors) Security Cabinets

Models BR - Closed storage cabinet to secure materials or valuables

Product Features:

- **All welded double wall 18 gauge construction with 1-1/2" insulating air space.**
- Lockable flush handle with 2 sets of keys.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- Doors have 3 point locking system and radius edges.
- 4" heavy duty welded hinges with brass pins.
- Adjustable leveling feet.
- **Powder coated gray finish** (see options).
- Steel shelves adjust on 2-1/2" centers.
- **Manual close doors** (open to full 180°).

Options:

- Putty Powder Coat Finish - **Code AP**
- Extra shelves - **Code PS**

Model BR - Manual Close

Capacity (cu ft)	Catalog No.	Size (in) W x D x H	# Shelves	# Doors	Wgt. (lbs)
35" HIGH					
8	BR8	23 x 18 x 35	2	1	150
12	BR12	34 x 18 x 35	2	2	180
16	BR16	23 x 34 x 35	2	1	210
44" HIGH					
10	BR10	23 x 18 x 44	3	1	180
14	BR14	34 x 18 x 44	3	2	230
19	BR19	43 x 18 x 44	3	2	268
20	BR20	23 x 34 x 44	3	1	290
65" HIGH					
15	BR15	23 x 18 x 65	4	1	244
23	BR23	34 x 18 x 65	4	2	300
29	BR29	43 x 18 x 65	4	2	386
30	BR30	23 x 34 x 65	4	1	370
43	BR43	34 x 34 x 65	4	2	458
55	BR55	43 x 34 x 65	4	2	500
75	BR75	59 x 34 x 65	4	2	584

Fire Resistant Double Walled (Self Closing Bi-Fold Doors) Security Cabinets

Models BX - Closed storage cabinet to secure materials or valuables

Product Features:

- **All welded double wall 18 gauge construction with 1-1/2" insulating air space.**
- Lockable flush handle with 2 sets of keys.
- **Doors are double walled, 14 gauge outside & 18 gauge inside.**
- Doors have 3 point locking system and radius edges.
- 4" heavy duty welded hinges with brass pins.
- Adjustable leveling feet.
- **Powder coated gray finish** (see options).
- Steel shelves adjust on 2-1/2" centers.
- **Self closing bi-fold doors.**

Options:

- Putty Powder Coat Finish - **Code AP**
- Extra shelves - **Code PS**

Model BX - Bi-Fold

Capacity (cu ft)	Catalog No.	Size (in) W x D x H	# Shelves	Wgt. (lbs)
19	BX19	43 x 18 x 44	3	278
29	BX29	43 x 18 x 65	4	396
43	BX43	34 x 34 x 65	4	468
55	BX55	43 x 34 x 65	4	510

Gas Cylinder Cabinets (4 Types)

Models CW, CH, CV & CX - Security cabinets for gas & propane cylinders

Model CW Shown

Model CH Shown

Model CV Shown

Model CX Shown

Product Features:

- **Lockable mesh door(s) with slide bolt hasp** (no lock).
- All welded - ready to use, **meets OSHA 1910.**
- 13 gauge flattened mesh sides.
- 12 gauge solid top (All Models) & 12 gauge solid floor (Model CW only).
- 1-1/2" x 3/16" thick corner angles.
- Foot pads with pre-drilled holes.
- **Powder coated safety yellow**.
- Safety signage in large red letters.

Stores Cylinders For Floor Scrubbers & Other Tanks In An Upright Position.

Model CW **- Vertical Propane Tanks**

W x D x H (in)	Max. No. Cylinders*	Model	Wgt. (lbs)
18 x 30 x 35	2	**CW130**	94
30 x 30 x 35	4	**CW330**	128

* Propane cylinders 12” dia. x 22-1/2” H store in vertical position.

Stores Forklift Propane Cylinders On Their Sides.

Model CH **- Horizontal - 20-48 lb Cylinders**

W x D x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
33 x 38 x 39	4	**CH040**	170
33 x 38 x 70	8	**CH080**	280
49 x 38 x 70	12	**CH120**	340
65 x 38 x 70	16	**CH160**	490

- Smooth 1” tube support rails for cylinder protection.

Stores Welding Gas Cylinders In Vertical Position.

Model CV **- Vertical Cylinders Up To 200 lbs**
5-10 & 10-20 Cylinder Units

W x D x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
33 x 38 x 70	5 - 10	**CV051**	204
60 x 38 x 70	10 - 20	**CV102**	360

- Safety retention chains.

Combo Gas Cylinder Storage - Vertical & Horizontal Positions

Model CX **- Horizontal - 20-48 lb - 8 Cylinders**
Vertical - 200 lb - 5-10 Cylinders

W x D x H (in)	Max. No. Cylinders	Model	Wgt. (lbs)
62 x 38 x 70	8 / 5-10	**CX100**	460

- Safety retention chain.

Jamco Products, Inc.
One Jamco Ct. • P.O. Box 66
So. Beloit, IL 61080
Ph: 815.624.0400
Fax: 815.624.0600
www.jamcoproducts.com
E-mail: Sales@jamcoproducts.com
TOLL FREE: 800.748.8080

Copyright©2007 Jamco Products, Inc., So. Beloit, Illinois